THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 9th December 1937, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers	49,10,672
„ Reserve Fund	25,00,000	„ Loans and Cash Credit Accounts	1,62,69,296
„ Public and other Deposits	2,65,68,320	„ Bills discounted	11,15,857
„ Sundries	5,28,008	„ Investments	84,13,376
		„ Balance at Agencies	
		„ Dead Stock	7,38,279
		„ Sundries	1,48,848
Total	3,15,96,328	Total	3,15,96,328

(Annas and pies omitted.)

BANGALORE,
Dated 14th December 1937.

F. L. PERADON,
Manager.

"I intend moving the Hon'ble High Court of Mysore to enrol me as an Advocate thereof".

B. SUBBIAH, B.SC.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 13423-39, *dated 11th December* 1937.

To

The Firms dealing in Transformers.

Enquiry No. 2609.

DISTRIBUTION TRANSFORMERS FOR SHIMSHA NEW HYDRO-ELECTRIC PROJECT. ED. 508.

GENTLEMEN,

I write to request you to be so good as to intimate your best present day prices and the earliest time of delivery for the transformers of the specification noted below :—

Six.—50 KVA. single phase Transformers, type H, 2080/2200/4160/4400/4600/8000 Volts-Y-115/230 volts, oil-immersed, self-cooled, out-door type, each transformer to be complete with the first filling of oil, oil drain plug, oil sampling plug, one set of suspension hooks, two porcelain enclosed fuse cut-outs and two lightning arresters.

(1) The transformers should be insulated throughout with grade "B" insulation and must withstand the high potential tests prescribed in the British Standard Specifications.

(2) The temperature rise of no part of the transformer should exceed 35° C above an ambient temperature of 40° C after continuous full load operation.

(3) That tenderers should state the efficiencies the manufacturers will guarantee for $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ and $\frac{4}{4}$ loads. The core losses and copper losses should be separately stated at these loads.

The tenderers should also state the transformer regulation at the above percentages of full load at 0·8 and 1·0 power factors.

(4) The fuses and the cut-outs shall not be mounted within the transformers, they shall be of the outdoor type and entirely suitable for mounting on the same structure the transformer will be mounted on.

Detailed drawings and literature showing the arrangements of the transformers and describing the design and nature of the materials used should be submitted along with the quotations.

In the event of your quotation being accepted by us, the supply will be subject to the following conditions :—

The transformers should be supplied at this end before the end of May 1937.

The transformers will be subject to acceptance tests at the Mysore Government Electrical Department Laboratory on receipt, and a penalty of 1 per cent in the price of transformers will be imposed for each $\frac{1}{2}$ per cent of the guaranteed efficiency at full load,

by which the performance as shown by such tests, falls below the figures guaranteed by you. Notwithstanding the above, the suppliers should guarantee free replacement of any transformer which may fail within one year after the date of putting it into service due to inherent defect in design, workmanship or materials used for the construction of the transformer.

If the successful tenderer were to fail to supply the materials in time or in accordance with the specifications, the Stores Purchase Committee reserve the right to cancel the order and obtain the materials at the expense of the contractors in addition to the levy of 3 per cent of the value of the order as and by way of liquidated damages. For the purpose of this clause, the time of supply shall be the date on which the entire lot of materials covered by the order are shipped Ex-Foreign Port.

The prices to be quoted should be for delivery f. o. b. Foreign Port and c. i. f. Madras.
This enquiry will close on the 15th of January 1938.

No. S. P. C. 13407-22, *dated* 13*th December* 1937.

To

The Firms dealing in Weights and Measures.

Enquiry No. 2636.

NICKEL DRAM CUPS AND OPIUM WEIGHTS FOR THE EXCISE DEPARTMENT.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r. Bangalore and the earliest time of delivery for the materials described below :—

1. Nickel dram cups, hemispherical, each set consisting of one dram, half dram and quarter dram cups .. .. .. 200 sets
2. Copper opium weights, each set consisting of ½, 1/16, 1/32 tola weights .. .. .. 200 „

N.B.—(1) The names of makes should be clearly specified.

(2) The quotations should be accompanied with one set of each of the sample cups and weights.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for nickel dram cups and opium weights for the Excise Department " with the above enquiry number.

This enquiry will be closed on the 25th December 1937.

No. S. P. C. 13523-40, *dated* 13*th December* 1937.

To

The Firms dealing in Hardware Materials.

Enquiry No. 2637.

HARDWARE MATERIALS REQUIRED FOR THE KRISHNARAJ SAGAR WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r. Belagola Railway Station and the earliest time of delivery for the materials described below :—

1. Hoop iron 1" width 1/16" thick .. .. .. 1,000 R.ft.
2. Wire netting with 1½" mesh 6' wide .. .. .. 120 „
3. Galvanised wire gauge 24 meshes per lineal inch 6' × 3' .. .. 1 „
4. Do 40 meshes 6'—3' .. .. 1 „
5. Copper tacks 3 pointed .. .. .. 12 lbs.
6. Diamond packings ½" round .. .. .. 100 R.ft.
7. Do ⅝" „ .. .. .. 200 „
8. Do ¾" „ .. .. .. 100 „

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Hardware Materials required for the Krishnarajsagar Works" with the above enquiry number.

The enquiry will be closed on the 3rd January 1938.

No. S. P. C. 13567-91, *dated 10th December* 1937.

To

The firms dealing in Pumping Sets.

Enquiry No. 2640.

DEEP WELL POWER PUMPING SETS FOR YEDIYUR AND THALAGHATTAPUR WATER SUPPLIES.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r. Bangalore, and the earliest time of delivery for the machinery described below :—

I. ONE DEEP WELL PUMP DRIVEN BY ELECTRIC MOTOR FOR YEDIYUR WATER SUPPLY.

Pump.—One deep well pump, 6" stroke capable of lifting about 200 imperial gallons of water per hour against a maximum total head of 250 feet. Pump to be provided with slide rails on top and grooved pulley for V belt drive.

Motor—One 1½ H. P. A. C. motor running on 3 phase 25 cycles 220 volts system provided with pulley for V belt drive.

One starter with No volt and overload relay to suit.

One V belt for driving the above.

II. ONE DEEP WELL PUMP DRIVEN BY ELECTRIC MOTOR FOR THALAGHATTAPUR WATER SUPPLY.

Pump.—One deep well pump 6" stroke capable of lifting about 300 imperial gallons per hour against a total head of 140 feet. Pump to be provided with slide rails on top and grooved pulley for V belt drive.

Drive—One 1 H. P. A. C. motor running on 3 phase 25 cycles 220 volts system provided with pulley for V belt drive.

One starter with No volt and overload relay to suit.

One V belt for driving the above.

It should be distinctly understood that the acceptance by us of our quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Deep Well Pumping Sets for Yediyur and Thalaghattapur Water Supplies " with the above enquiry number.

This enquiry will be closed on the 27th December 1937.

No. S. P. C. 13756-62, *dated 13th December* 1937.

To

The Firms dealing in Gun Powder.

Enquiry No. 2642.

GUN POWDER.

GENTLEMEN,

Please be good enough to intimate your best price and the earliest time of delivery for the material described below :—

35,000 lbs. of good and dry gun powder for blasting purposes. The composition of the material should be in the proportion of 75 : 10 : 15 by weight of salt petre sulphur and charcoal respectively, its density being in the neighbourhood of 1·8.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The quotation should be for one pound of the material delivered free at Sivasamudram.

(2) In case of doubt as to whether the supply conforms to the specification, the Stores Purchase Committee reserve the right to draw samples from the supply and get them tested at the Government Industrial and Testing Laboratory, Bangalore. The cost of such tests should be borne by you.

(3) The quantity given above is only approximate and not guaranteed. The contract will be deemed to be limited to the quantity actually drawn, which may be more or less.

(4) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Gun Powder" and sent to the undersigned, with the above enquiry Number.

This enquiry will be closed on the 24th December 1937.

No. S. P. C. 13861-75, dated 13th December 1937.

To

The Firms dealing in Timber.

Enquiry No. 2644.

WOODEN SCANTLING FOR THE SCHOOL OF ENGINEERING.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, free at the School of Engineering, Bangalore, for the materials described below :—

1. Scantlings Teakwood of the following sizes :—

	6′ × 4″ × 3″	30 pieces.
	6′ × 3″ × 2″	4 ,,
	6′ × 4″ × 1″	24 ,,
	6′ × 2″ × 2″	64 ,,
	6′ × 2″ × 1″	120 ,,
	6′ × 18″ × 1½″	5 ,,
	6′ × 18″ × 1″	2 ,,
2.	Do Nandiwood do 6′ × 4″ × 3″	6 ,,
3.	Do Yellow teak do 6′ × 2″ × 2″	8 ,,
4.	Do Rosewood do 6′ × 2″ × 2″	6 ,,

N.B.—All wood to be well seasoned and free from all kinds of defects such as bends, knots, white and sapwood, etc.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Wooden Scantlings for the School of Engineering" with the above enquiry Number.

This enquiry will be closed on the 22nd December 1937.

No. S. P. C. 13846-60, *dated* 13*th December* 1937.

To

The Firms dealing in Road Rollers.

Enquiry No. 2645.

ONE CRUDE OIL ROAD ROLLER FOR MARKONAHALLI RESERVOIR DIVISION.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r. Tumkur and the earliest time of delivery for one crude oil Road Roller of 6 tons weight of the specification given below :—

(1) The weight of the empty Roller should be 5 tons and possible to be increased to 6 tons by loading the rear wheel with sand and the front roller with water.

(2) The power unit must be a good diesel engine with fuel injector by Bosch system, reliable lubrication by the pressure circulation type, good filters for fuel and air circulation cooling system by a large radiator, should be assisted with fan and water circulating pump.

(3) The engine must be easily started by hand. The big end bearings, etc., must be easily accessible and cylinders to be fitted with interchangeable cylinder liners.

(4) Clutch must be rapid reversing on all four speeds by a reliable Duplex clutch which should be very smooth in addition and a level reversing gear. All shafts and gear wheels should run in oil.

(5) The transmission should be through the differential with a differential lock and the entire gearing system to be constructed with up-to-date automobile parts of high grade steel case hardened wherever necessary.

(6) Differential lock must all be operated from the Driver's platform :—

Rear Roller diameter	4′
Width of rear roller	18″
Front roller in 2 parts diar.	36″
Length of roller including two parts	32″
Width rolled	52″
Wheel base	76″
Overlap on either side	7″

Easy to operate and free from play with a worm type gearing with the steel front fork.

(7) *Brakes.*—Good hand and foot break to be provided.

(8) *Overlap.*—To be not less than 6″ to 7″.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for one Crude Oil Road Roller for Markonahalli Reservoir Division" with the above enquiry number.

This enquiry will be closed on the 10th of January 1938.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 13799, *dated* 10*th December* 1937.

NOTICE.

Enquiry No. 2634.

TRANSFORMER COOLING WATER PUMPS FOR SHIMASHA NEW PROJECT, ED. 515.

With reference to the above Enquiry appearing at page 2073 of Part VI of the *Mysore Gazette*, dated 9th December 1937, the tendering firms are hereby informed that the closing date of the Enquiry is extended from 5th January 1938 to 20*th January* 1938.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.